

TECHNICAL DATASHEET

PRODUCT CODE : 1054 STRONG

Safety category: II



DESCRIPTION:

The gloves are seamless terry, machine knitted from cotton/nylon/polyester yarns. They are general purpose handling gloves for warm or hot objects. Gloves exhibit good cut resistance and will withstand severe abrasion & tear in dry handling conditions. Not for use with liquids or chemicals.

AVAILABLE SIZES:

Glove size	7	8	9	10	11
EN 420:2003+A1:2009 size	7	8	9	10	11

Glove size measurements are made when the glove is laid flat and relaxed.

Dexterity level is 3 in accordance with EN420:2003+A1:2009

WARNING: Do not use near moving machines if there is a risk of entanglement. Do not expose these gloves to open flame. Glove may lose its insulate property when wet.

CLEANING / MAINTENANCE/ STORAGE:

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition. Cleaning and disinfection is not intended for these gloves.

Note: The performance characteristics of worn and laundered gloves may differ from the results shown below.

STORAGE: Gloves should be ideally stored at well-ventilated area in original packing. Prevent direct sunlight.

LIMITATION OF USE / RISK:

Gloves are intended to protect hands in working environment in accordance with EN388:2016 and EN420:2003+A1:2009. The user shall evaluate and determine risks based on intended application and use gloves only in intended application. Risk should be evaluated keeping in mind the protection levels and the harmonized standards on which gloves are tested.

OBSOLESCENCE/DISPOSAL:

When stored as recommended will not suffer change in mechanical properties for up to five years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility of user to ascertain suitability of the glove for its intended use.

GENERAL:

None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

PLEASE NOTE:

The results of the physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.

Pictogram of EN388:2016 indicates that the product protects against Mechanical risks. For dulling during the blade cut resistance test, the coupe test results are only indicative while the TDM cut resistance test is the reference performance result. Pictogram of EN407:2004 indicates that the product protects against Heat resistance risks. The numbers indicate performance levels which are tested from palm area of the gloves. X shows that test not carried out or not



+40 265 264 817

applicable. The protective gloves shell meets the applicable requirement of EN420:2003+A1:2009.

<p>EN388:2016</p>  <p>4 2 4 1 B</p>	<p>Abrasion Resistance Level 4 (1-4) Blade Cut Resistance Level 2 (1-4) Tear Resistance Level 4 (1-4) Puncture Resistance Level 1 (1-4) TDM: Cut Resistance Level B (A-F)</p>	<p>EN407:2004</p>  <p>X 2 X X X X</p>	<p>Burning Behavior Level X (0-4) Contact heat Level 2 (0-4) Connective Heat Level X (0-4) Radiant Heat Level X (0-4) Small Splashes of Molten Metal Level X (0-4) Large Quantities of Molten Metal Level X (0-4)</p>
--	---	--	---

All EU Type examinations were carried out by SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, Dublin D15 YN2P, Ireland. (Notified Body No.2777) in accordance with Regulation EU 2016/425.

The EU Declaration of Conformity and the EU Instructions for Use can be downloaded at:
<https://magazin.renania.ro/>

More information can be obtained from:
Renania Trade S.R.L., Dezrobirii str, no. 19, 540240 TG MURES, ROMANIA



+40 265 264 817