

USER INFORMATION SHEET

Code:

1306W – Sleeve made of Split Leather with elastic closure at both ends, sewn with Kevlar.

1305W – Leg guard made of Split Leather with Split Leather Belts and Metal Buckle closures, sewn with Kevlar.

1301-60W (90 x 60) – Split Leather Apron with Split Leather Belts and Metal Buckle closures, made of 2 pieces of Split Leather sewn with Kevlar thread, Size 90cm X 60cm

1301-80W (110 x 80) – Split Leather Apron with Split Leather Belts and Metal Buckle closures, made of 2 pieces of Split Leather sewn with Kevlar thread, Size 110cm X 80cm

Standards:



EN ISO 11611:2015 Protective clothing for use in welding and allied processes.

This garment meets the requirements of EN ISO 11611:2015

Class 2 A1

Clasa 2 A1



These garments comply with the essential health and safety requirements of Regulation (EU) 2016/425 and the above referenced standards.

EU type certificate has been issued by Intertek Italia SpA, Via di Stagno, 17 F/G, 50055 Lastra a Signa (FI), Italia, notify body no. 2575.

EU type declaration of conformity is available at: <https://magazin.renania.ro/>

Storage: Always store in clean, dry conditions.

Disposal: As per Industry norms

Improper use:

→The level of protection against flame will be reduced if the welders' protective clothing is contaminated with flammable materials.

→An increase in the oxygen content of the air will reduce considerably the protection of the welder's protective clothing against flame. Care should be taken when welding in confined spaces e.g. if it is possible that the atmosphere may become enriched with oxygen.

→The electrical insulation provided by clothing will be reduced when the clothing is wet, dirty or soaked with sweat.

→For additional body protection, the garment is intended for use in addition to protective clothing providing protection against welding hazards.

→The apron must be worn with other protective garments meeting the same EN standards.

→The leg Guard must be worn with other protective garments meeting the same EN standards.

→The arm sleeves must be worn with other protective garments meeting the same EN standards.

Intended Use: Class 2 – recommended for manual welding techniques with heavy formation of splatters and drops e.g MMA welding (with basic or cellulose-covered electrode), MAG welding (with CO₂ or mixed gases), MIG welding (with high current), self-shielded flux cored arc welding, plasma cutting, gouging, oxygen cutting, thermal spraying for operation of machines e.g. in confined spaces, at overhead welding/cutting or in comparable constrained positions.

This clothing is intended to protect against flames molten metal splatter, radiant heat and short term, accidental electrical contact

Warnings:

→For operational reasons not all welding voltages carrying parts of arc welding installations can be protected against direct contact.

→Additional partial body protection may be required e.g. for welding overhead.

→This garment is only intended to protect against brief inadvertent contact with live parts of an arc welding circuit, additional electrical insulations layers will be required where there is an increased risk of electric shock. →Garments are designed to provide protection against short term, accidental contact with live electric conductors at voltages up to approximately 100 V.d.c.

→Aprons should cover the front body of the user at least from side seam to side seam.

→When using additional partial protective garments, the basic garments shall meet at least Class 1.



+40 265 264 817